

Product data sheet

Date: July 3rd 2026


QUASAR



PARKES SUSPENSION by Jan

Pauwels

All views of the Parkes are different. A-symmetrical but in balance. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape.



DIMENSIONS

L 280 cm 110.2 inch
H 50 cm 19.7 inch
W 50 cm 19.7 inch

CANOPY

L 66 cm 26 inch
H 5 cm 2 inch
W 33 cm 13 inch

CABLELENGTH

Up to 200 cm 78 inch

LIGHTSOURCE


575x led, 12V/0.6W,
2800K, 17250 LM, CRI>95

INCLUDED

Yes



FINISH

Nickel  11-8480-1
Brass  11-8480-2
Blackbrass  11-8480-4

TYPE.NR

TYPE	Suspension
STANDARD	
OPTIONAL	2400K.
TRANSFORMER/DRIVER	SCPower KVF-12200-TDW 2x
DIMMING	leading and trailing edge
CLASSIFICATION	UL no IP20 yes
ENERGY LABEL	
YEAR OF DESIGN	2022

Quasar Holland BV®

Burgstraat 2 4283GG Giessen The Netherlands

T. +31-(0)183-447887

info@quasar.nl www.quasar.nl

Product data sheet

Date: July 3rd 2026


QUASAR



PARKES SUSPENSION by Jan

Pauwels

All views of the Parkes are different. A-symmetrical but in balance. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape.



DIMENSIONS

L 200 cm 78.7 inch
H 50 cm 19.7 inch
W 50 cm 19.7 inch

CANOPY

L 66 cm 26 inch
H 6.5 cm 2.6 inch
W 33.5 cm 13.2 inch

CABLELENGTH

Up to 200 cm 78 inch

LIGHTSOURCE




411x led, 12V/0.6W,
2800K, 12330 LM, CRI>95

INCLUDED

Yes



FINISH

Nickel  11-84384-1
Brass  11-8484-2
Blackbrass  11-8484-4

TYPE.NR

TYPE	Suspension
STANDARD	
OPTIONAL	2400K.
TRANSFORMER/DRIVER	SCPower KVF-12200-TDW 2x
DIMMING	leading and trailing edge
CLASSIFICATION	UL no IP20 yes
ENERGY LABEL	
YEAR OF DESIGN	2022

Quasar Holland BV®

Burgstraat 2 4283GG Giessen The Netherlands

T. +31-(0)183-447887

info@quasar.nl www.quasar.nl

Product data sheet

Date: July 3rd 2026


QUASAR



PARKES SUSPENSION by Jan

Pauwels

All views of the Parkes are different. A-symmetrical but in balance. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape.



DIMENSIONS

L 140 cm 55.1 inch
H 50 cm 19.7 inch
W 50 cm 19.7 inch

CANOPY

L 66 cm 26 inch
H 6.5 cm 2.6 inch
W 33.5 cm 13.2 inch

CABLELENGTH

Up to 200 cm 78 inch

LIGHTSOURCE




288x led, 12V/0.6W,
2800K, 8640 LM, CRI>95

INCLUDED

Yes



FINISH

Nickel  11-8483-1
Brass  11-8483-2
Blackbrass  11-8483-4

TYPE.NR

TYPE	Suspension
STANDARD	
OPTIONAL	2400K.
TRANSFORMER/DRIVER	SCPower KVF-12200-TDW
DIMMING	leading and trailing edge
CLASSIFICATION	UL no IP20 yes
ENERGY LABEL	
YEAR OF DESIGN	2022

Quasar Holland BV®

Burgstraat 2 4283GG Giessen The Netherlands

T. +31-(0)183-447887

info@quasar.nl www.quasar.nl

Product data sheet

Date: July 3rd 2026


QUASAR



PARKES SUSPENSION by Jan

Pauwels

All views of the Parkes are different. A-symmetrical but in balance. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape.



DIMENSIONS

L 70 cm 27.6 inch
H 70 cm 27.6 inch
W 50 cm 19.7 inch

CANOPY

L 35 cm 13.8 inch
H 5 cm 2 inch
W 35 cm 13.8 inch

CABLELENGTH

Up to 200 cm 78 inch

LIGHTSOURCE

144x led, 12V/0.6W,
2800K, 4320 LM, CRI>95

INCLUDED

Yes



FINISH

Nickel  11-8482-1
Brass  11-8482-2
Blackbrass  11-8482-4

TYPE.NR

TYPE	Suspension
STANDARD	
OPTIONAL	2400K.
TRANSFORMER/DRIVER	SCPpower KVF-12100-TDW
DIMMING	leading and trailing edge
CLASSIFICATION	UL no IP20 yes
ENERGY LABEL	
YEAR OF DESIGN	2022

Quasar Holland BV®

Burgstraat 2 4283GG Giessen The Netherlands

T. +31-(0)183-447887

info@quasar.nl www.quasar.nl

Product data sheet

Date: July 3rd 2026


QUASAR



PARKES SUSPENSION by Jan

Pauwels

All views of the Parkes are different. A-symmetrical but in balance. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape.



DIMENSIONS

L 50 cm 19.7 inch
H 50 cm 19.7 inch
W 50 cm 19.7 inch

CANOPY

L 25 cm 9.8 inch
H 6 cm 2.4 inch
W 25 cm 9.8 inch

CABLELENGTH

Up to 200 cm 78 inch

LIGHTSOURCE

103x led, 12V/0.6W,
2800K, 3090 LM, CRI>95

INCLUDED

Yes



FINISH

Nickel  11-8481-1
Brass  11-8481-2
Blackbrass  11-8481-4

TYPE.NR

TYPE	Suspension
STANDARD	
OPTIONAL	2400K.
TRANSFORMER/DRIVER	SCPpower KVF-12100-TDW
DIMMING	leading and trailing edge
CLASSIFICATION	UL no IP20 yes
ENERGY LABEL	
YEAR OF DESIGN	2022

Quasar Holland BV®

Burgstraat 2 4283GG Giessen The Netherlands

T. +31-(0)183-447887

info@quasar.nl www.quasar.nl